

met-track[®]

WORKSTATION JIB CRANES

www.metreel.co.uk



WORKSTATION JIB CRANES







Benefitting from years of experience within the enclosed track materials handling market, comes our range of **MET-TRACK® Workstation Jib Cranes**.

Metreel Jibs are the ideal solution for the many different types of lifting equipment available on the market, for example, electric and manual hoists, balancers and vacuum lifters.



The jib arm rotation and hoist trolley travel are both smooth and effortless allowing users maximum control with minimal effort, thus increasing productivity and giving customers a prompt return on investment. The superior ease of movement means that the user force required to operate the jib is very low, therefore safety is increased and injuries minimised.

All our floor mounted jibs are designed to be installed foundationless to a standard *150mm concrete floor.

FEATURES

-  Floor or Wall Mount
-  Safe Working Loads (SWL): 125kg - 1000kg
-  Spans up to 6m
-  Load Pin Heights up to 4m
-  Standard Rotation up to 270°
-  Powdercoat Finish as standard, Zinc Plated, Stainless Steel or Hot Dip Galvanised as special order.

Options for the range include, in-track festoons, tag line festoons, vacuum hose festoons and secondary restraint hoist trolleys.



- 1 JIB ARM**
Comprises enclosed track profile with overbraced welded support designed to minimise overall height.
- 2 JIB POST**
Circular column design with easy connection brackets for the Jib Arm. Designed to allow the base plate to be fitted direct to 150mm concrete floor.
- 3 END STOP**
As an added safety feature, all the models include, as standard, a secure double end stop comprising of a rubber buffer style through bolt and an additional separate through bolt.
- 4 CAPACITY PLATE**
A larger style capacity clearly demonstrates the lifting capacity of the jib.
- 5 POWER SUPPLY**
Shown is a standard In-Track Festoon option, however tag line options are available for external fed powerfeed solutions.
- 6 LIFTING DEVICES**
A range of electric and manual hoists are available as options. Alternatively these jibs are suited to a variety of different lifting devices.



Metreel Ltd, Cossall Industrial Estate, Coronation Road, Ilkeston, Derbyshire DE7 5UA
Tel: +44 (0)115 932 7010 Email: sales@metreel.co.uk